




Lakelands Concrete Products, Inc.
7520 East Main St., Lima, NY 14485
Phone: 585-624-1990, Fax: 585-624-2102

Web: www.lakelandsconcrete.com
E-mail: sales@lakelandsconcrete.com

Date: 7/11/11

DWG: ST-Single

Septic Tank
Single Compartment





Lakelands Concrete Products, Inc.
 7520 East Main St., Lima, NY 14485
 Phone: 585-624-1990, Fax: 585-624-2102

Web: www.lakelandsconcrete.com
 E-mail: sales@lakelandsconcrete.com

Date: 7/11/11

DWG: ST-Single

Septic Tank
 Single Compartment

Meets NYSDOH 10NYCRR
 Appendix 75-A

Tanks Do Not Need To Be Tested For
 Watertightness Prior To Backfilling Because
 There Are No Joints Below The Flowline.

Specifications:

Design Criteria: 5000 Psi @28 Days

Entrained Air: 5% - 9%


Design Loading: 300 PSF

Reinforcement: BAR-ASTM A615 GR60


WWR-ASTM A185/A497 GR65

Note:

*We Can Supply Risers For Openings/Plugs



Plan View



Elevation View

Septic Tank	A	B	C	D	E	F	G	H	I	Weight
ST1000D	128"	67"	122"	61"	51"	38"	35"	38"	61"	9,515 LBS
ST1250D	129"	68"	123"	62"	59"	46"	43"	46"	62"	10,535 LBS
ST1500D	130"	68"	124"	62"	67"	54"	51"	54"	62"	11,400 LBS



Lakelands Concrete Products, Inc.
 7520 East Main St., Lima, NY 14485
 Phone: 585-624-1990, Fax: 585-624-2102

Web: www.lakelandsconcrete.com
 E-mail: sales@lakelandsconcrete.com

Date: 7/11/11

DWG: ST-Single

Septic Tank
 Multi. Single Compartment

Meets NYSDOH 10NYCRR
 Appendix 75-A

Tanks Do Not Need To Be Tested For
 Watertightness Prior To Backfilling Because
 There Are No Joints Below The Flowline.

Specifications:

Design Criteria: 5000 Psi @28 Days

Entrained Air: 5% - 9%


Design Loading: 300 PSF

Reinforcement: BAR-ASTM A615 GR60


WWR-ASTM A185/A497 GR65

Note:

*We Can Supply Risers For Openings/Plugs



Plan View



Elevation View

Septic Tank	A	B	C	D	E	F	G	H	I	Weight
ST1000D	128"	67"	122"	61"	51"	38"	35"	38"	61"	10,415 LBS
ST1250D	129"	68"	123"	62"	59"	46"	43"	46"	62"	11,435 LBS
ST1500D	130"	68"	124"	62"	67"	54"	51"	54"	62"	12,500 LBS